

CURASEPT Bibliography

PERIODONTOLOGY

Cortellini P, Pini Prato G, Tonetti M, et al. Chlorhexidine with an Anti Discoloration System after periodontal flap surgery: a cross-over, randomized, triple-blind clinical trial. *J Clin Periodontol*; 35: 614-620, 2008.

Solis C, et al. 0.2% Chlorhexidine mouthwash with an Antidiscoloration System versus 0.2% Chlorhexidine mouthwash: a prospective clinical comparative study. *Journal of Periodontology*, 82 (1), 2011

Graziani F. The new frontiers of Chlorhexidine.
Data on File, presented at Osteology 2012, Rimini.

Bevilacqua L, et al. Evaluation of two different mouthwashes with Chlorhexidine (0.2% chx vs 0,2% chx ads) after periodontal surgery. Research protocol by Università degli Studi di Trieste, 2012. Publication forthcoming.

Pilot Study: comparison of a mouthwash with Chlorhexidine + A.D.S. and a mouthwash with Chlorhexidine + ADS and Hyaluronic Acid in periodontal surgery.
Research protocol by Centro di Ricerca per la Salute Orale (CRSO), Università degli Studi di Milano. Preliminary data on 12 patients, 2012.

ORAL HYGIENE

Bernardi L, et al. Chlorhexidine with an Anti Discoloration System. A Comparative Study. *Int J Dent Hygiene* 2, 122-126, 2004.

Basso M, et al. Reduction of dental pigmentation from Chlorhexidine.
Using a mouthwash changed. *Dental Cadmos*, 73 (9), 2005.

Basso M, et al. Mouthwash modified for reducing pigmentations from Chlorhexidine.
Dental Cadmos, 76 (7), 2008.

Bassani E, Maddalone M, et al. Efficacy of a new mouthwash containing Chlorhexidine and ADS (Anti Discoloration System).
Università degli Studi Milano Bicocca, Poster at VI Convegno Nazionale dei CLID, 2007.
Published on *Rivista Italiana di Igiene Dentale* 2009 set-dic; 5 (3): 128.

Operating Protocols and Guidelines on the use of mouthwash in dentistry in a randomized, triple-blind setting. Research protocol by Casa di Cura Calabrodental, Reparto di Odontoiatria e Chirurgia Maxillo-Facciale, Crotone, 2012. Publication forthcoming.

ORTHODONTICS

Matic Sava F, et al. Effect of oral hygiene training on the plaque control in patients undergoing treatment with fixed orthodontic appliances.
Serbian Dental Journal, vol. 57. N° 1, 2010.

Cavuoto S, et al. Toothpaste and Mouthwash with Chlorhexidine and Fluorine in adolescent patients undergoing fixed orthodontic treatment.
Poster presented to Società Italiana di Ortodonzia (SIDO), 2008.

Surgery and Implantology

Pilot study: comparison between a mouthwash with Chlorhexidine + A.D.S. and a mouthwash with Chlorhexidine + A.D.S. and Chlorobutanol in extractive surgery.
Research protocol by Centro di Ricerca per la Salute Orale (CRSO), Università degli Studi di Milano. Preliminary data on 42 patients, 2012.

Donati D, Viviano M, et al. Surgical management of extractions in cancer patients taking bisphosphonates.
Dental Clinics, Anno VI, (2), 2012.

Research

Plauekontrolle mit Chlorhexidin. Spüllösungen, Gele, Lacke, Chips.
S. Kneist
ZWR Das Deutsche Zahnärzteblatt – 4.2011 Sonderdruck

Systematic Review

The efficacy of chlorhexidine mouthwash, with and without an anti-discoloration-system (ADS), on the parameters plaque, gingivitis and tooth surface discoloration = a systematic review and meta-analysis.
Posterpresentation EuroPerio 2018.
Bregje W.M. van Swaaij, G.A. van der Weijden, E.W.P. Bakker, D.E. Slot



Consumedix B.V.
Industrieweg 12
6871 KA Renkum